

Work Order ID 135201

Tuesday, August 04, 2015 10:20:35 AM

135201

Page 1

Item ID: 647.7612

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Breakaway Tip

Start Date: 8/04/15 Start Qty: 4.00 *4*

Cust Item ID:

Required Date: 8/14/15 Req'd Qty: 4.00 *4*

Customer:

Reference:

Approvals: Process Plan: [Signature] Date: 158.4 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
647.7600	N/C

100

0.00

100

BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut Blank at 14.200"

*** ONE BLANK MAKES TWO PARTS***

2

Ø

DAS
44
9-89

15/08/06

110

0.00

110

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.01

HAAS CNC vertical machine #1

1-Machine per folio FB404

DWG REV: N/C

FOLIO REV: N/C

2- deburr and break all sharp edges

4

Ø

DAS
44
9-89

15/08/06

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By																																																							
								Lead hand / Supervisor Approval Verification																																																							
								QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____	
Misidentified ☐	Past Due ☐																																																														

Tuesday, August 04, 2015 10:20:35 AM

Page 2

Accept

Setup Start

NS1

Stop

NS2

Start Date: 8/04/15 **Start Qty:** 4.00

4

Cust Item ID:

Required Date: 8/14/15 **Req'd Qty:** 4.00

4

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____
QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run Start

NR1

Stop

NR2

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____ Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

Work Order ID 135201***135201***

Page 4

Tuesday, August 04, 2015 10:20:35 AM

Item ID: 647.7612 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Breakaway Tip
Start Date: 8/04/15 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 8/14/15 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
155	QC5- Inspect part completeness to step on W/O	0.00							
155									
QC	Memo	0.00							DAS 38 9-89
Quality Control									AUG 14 2015
180	Identify as per dwg & Stock Location: <u>MF</u>	0.00							
180									
Packaging	Memo	0.00							DAS 26 9-89
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								AUG 14 2015
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.01							
Quality Control									AUG 17 2015

MS-8-17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, August 04, 2015 10:20:38 AM

Page 1

Work Order ID: 135201

135201

Parent Item: 647.7612

647 7612

Parent Item Name: Breakaway Tip

Start Date: 8/04/15

Required Date: 8/14/15

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A NEW ISSUE 15/08/04 JFS VERIFIED BY: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M7075T6B0.375X3.000

Purchased

No

f

42.7000

2.496842

DAS

M7075T6B0 375X3 000

44

9-89

15/08/06

7075-T6 Plate 0.375" X 3.000", QQ-A 250/12

Location

Loc Qty

Loc Code

MAT005

42.7

m126390

18.7

m130098

24

2.625

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 PER AMS-QQ-A-250/12.
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK.
- 3 DEBURR AND BREAK ALL SHARP EDGES.
- 4 IDENTIFY IAW MPP-120.
- 5 APPLY F/N 5 AS REQUIRED TO ALL FAYING SURFACES OF F/N 2, F/N 3 & F/N 4 UPON ASSEMBLY.
- 6 MAXIMUM OR MINIMUM DIMENSION AFTER ANODIZE.
- 7 FINISH: CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX AFTER ASSEMBLY.




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISION: P13		N/C
2	REVAL RELEASE	12/22/09	P. BRAVO


A/R	5	601.2045	RTV, LOCTITE 598		
2	4	601.3122	RIVET	MS20470AD6-14	
1	3	647.7612	BREAKAWAY TIP	△	△
1	2	647.7611	LOWER DEFLECTOR	△	△
	1	647.7610	UPPER DEFLECTOR	△	△
		647.7601	LOWER DEFLECTOR ASSY		△
7601	FIND #	PART #	DESCRIPTION	MAT'L	SPEC.
PARTS LIST					
NEXT ASSY (S)			APICAL INDUSTRIES		
647.7400			2608 TEMPLE HEIGHTS DR.		
647.7500			OCEANSIDE, CA. 92056-3512 (760)724-5300		
ORIGINAL DATE 11-23-09			DEFLECTORS		
DRAWN BY A. GUAN			SIZE CAGE CODE DWG. NO. REV. N/C		
CHECKED P. BRAVO			B 07M16 647.7600		
DRAWING APPROVAL			SCALE NONE		
DATE 12-22-09			SHEET 1 OF 4		
CONTRACT NO.					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1. 3 PLACES DECIMALS ± .010 2. 2 PLACES DECIMALS ± .010 3. 1 PLACE DECIMALS ± .010 4. 0.5"					

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




DETAIL B
SCALE 1 : 1




647.7610



SECTION A-A
SCALE 1 : 2



.375



ORIGINAL DATE
11/25/02
DRAWN BY
A. GHAN
CHECKED
P. BRAVO
DRAWING APPROVAL
12/2/02
CONTRACT NO.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
2 PLACE DECIMALS $\pm .02$
3 PLACE DECIMALS $\pm .010$
ANGLES $\pm .5^\circ$

APICAL INDUSTRIES
2608 TEMPLE HEIGHTS DR.
OCEANSIDE, CA. 92056-3512 (760)724-5300

DEFLECTORS


REV. 1
CAGE CODE B 07M26
DWG. NO. 647.7600
SCALE NONE
SHEET 2 OF 4

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED


.078 X 45.0° TYP

SECTION C-C
SCALE 1:2




DETAIL D
SCALE 1:1

Ø.201




647.7611



DETAIL E
SCALE 1:1

ORIGINAL DATE (ISO-8601) 11-22-09		APICAL INDUSTRIES	
DRAWN BY A. DUAH		2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
CHECKED BY P. BRAYO		DEFLECTORS	
DRAWING APPROVAL 11-22-09		SCALE NONE	
CONTRACT NO.		SHEET 3 OF 4	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.03 3 PLACE DECIMALS ±.010 ANGLES ±.5°		SIZE CAGE CODE B 07M26	REV. N/C
		DWG. NO. 647.7600	




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED


.088 X 45.0°

SECTION F-F
SCALE 1 : 1.5



.371 $\pm .000$
-.002

.373 MAX $\triangle$



647.7612

ORIGINAL DATE 10-20-00 DRAWN BY A. GUAN CHECKED BY P. BRAYO DRAWING APPROVAL P. BRAYO 10-20-00 CONTRACT NO.		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA, 92056-3512 (760)724-5300	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS .003 3 PLACE DECIMALS .0005 ANGLES .5°		SIZE B 1 07M26	DWG. NO. 647.7600
SCALE NONE		REV. N/C	SHEET 4 OF 4



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO29438

Purchase Order Date 8/11/2015

PO Print Date 8/13/2015

Page Number 1 of 2

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 613-446-4544

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	135185	647.7610 UPPER DEFLECTOR REV. N/C	8/14/2015 Yes 8/14/2015		4.00	\$12.86	\$51.43
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N							Line Total: \$51.43
2	135201	647.7612 BREAKAWAY TIP-REV. N/C	8/14/2015 Yes 8/14/2015		4.00	\$12.86	\$51.43
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N							Line Total: \$51.43
3	133885	D5230-5 MOUNTING BRACKET REV. A	8/14/2015 Yes 8/14/2015		20.00	\$12.86	\$257.14
FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2							

Note:

8/13/2015



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 63870

Date: 14-Aug-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description	Rev:	Line:
4 ea	Part: 647.7610 UPPER DEFLECTOR HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 PRIME MIL-P-23377J TYPE I CLASS N Job: 20150617		PO: PO29438
4 ea	Part: 647.7612 BREAKAWAY HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 PRIME MIL-P-23377J TYPE I CLASS N Job: 20150618		PO: PO29438
20 ea	Part: D5230-5 MOUNTING BRACKET HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 Job: 20150619	Rev: A	PO: PO29438
Certificate of Conformance A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order. ISO 9001 : 2008 REGISTERED ATG SALES-2010 TERMS APPLY DATE: <u>14/8/15</u> CERTIFIED SIGNATURE: <u>[Signature]</u>			



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 63870

Date: 14-Aug-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via
Quantity	Description	
	RECEIVER SIGNATURE: <u>SD K-08-14.</u>	